Chapter 16. Administration of ThinLinc using the Web Administration Interface

Figure 16-2. New terminal form

Main	Terminals		
Status	Add new terminal		
Locations	Name Hardwar	are address	
Locations	Terminal name (required)	New terminal	
Terminals	Hardware (MAC) address (requir	ired)	
Desktop Customizer	Location	Example Location	•
Application Servers	Printers	Add printer	
Novell Configurator	Delete	Save	
VDI	Yes, really delete New terminal	1	
Documentation Center	terminal0 01:23:45:	5:67:89:AB	
	terminal1 AB:AB:BC:	C:BC:CD:CD	

There are three editable fields in this view, Hardware (MAC) address, Terminal name and Location. They are described in Table 16-1 below.

To save changes, press the Save button. When you have pressed the Save button you will see that the Hardware (MAC) address field will change from being an editable field to become a static text label. To assure data integrity between the modules you aren't allowed to change this field after it's added.

When a new terminal is saved or when clicking an existing in the terminals list, there will be three buttons inside the form. The **Save** button is used to save changes made to the terminal. The **Delete** button deletes the currently viewed terminal. The **Add** Printer button will add a new printer field to the form.

Name	Description
Hardware (MAC) address	hardware (MAC) address of the main interface of
	the terminal. This field is important! Without a
	correct value the nearest printer won't work!
Terminal name	Name of the terminal. Could for example be the
	terminal's DNS name or a name following a
	naming scheme that identifies the terminal.
Location	Which of the locations, entered in the Locations
	module, this terminal belongs to.

 Table 16-1. Terminal properties